



Protection against surge voltage

Guide for homeowners

www.obo-bettermann.com



The underestimated risk

Damage from surge voltages

Those who consider damage from surge voltages to be caused only by direct lightning strikes with spectacular destruction forget that lightning strikes at distances of up to two kilometres can also cause devastating damage to electronic devices and systems. And even everyday switching operations in the power network, e.g. through major systems, can trigger dangerous surge voltages in the power network.

Causes of damage



Direct lightning strike

Direct lightning strikes hit buildings with maximum destructive energy. Around 80% of lightning strikes involve between 30,000 and 100,000 A and can generate surge voltages of several 100,000 V.



Remote lightning strike

It is not only direct lightning strikes into a building that are dangerous, but also the more frequent strikes into the surrounding area of buildings. Here, brief voltage increases of millionths of seconds can occur.



Switching operations

Switching operations such as switch-on and switch-off operations, the switching of inductive and capacitive loads and the interruption of short-circuit currents generate high surge voltages. Particularly when production plants, lighting systems or transformers are switched off, electrical equipment located in close proximity can be damaged.

✓ 100,000 A

80% of lightning strikes lay in the area of between 30,000 and 100,000 A.

✓ 450,000

More than 450,000 incidents of damage are reported to insurance companies each year.



31% of all electronic damage is caused by direct or indirect lightning strikes.



2

1,500,000,000

More than 1.5 billion lightning strikes discharge each year world-wide.

100

2,000

In a radius of 2,000 metres, 10 to 50 close lightning strikes generate a dangerous surge voltage. More than 100 lightning strikes discharge each second world-wide.

OBO

3

Lightning strike and spread of the surge voltage

Worth protecting

24/07/2017 (LLExport 04599) / 24/07/20

OBO 4

> €10,000

' en / 24/07/2017 (LLExport_04599) / 24/07/2017

Damage to the building control system, heating and airconditioning technology.

> €50,000

Subsequent damage: Failure of the entire building control system, heating system, lighting system, security systems and risk of fire.

... beyond price

Injury to people or irreparable data loss.





What is surge voltage?


If the nominal voltage is exceeded within an electrical system, then this is termed a surge voltage. This is caused by electrical voltages occurring within a system. Depending on the size of the surge voltage, components of an existing system may be destroyed. surge protection devices make it possible to keep surge voltages away from vulnerable components.



Devices such as TV systems, PCs or heating and building control systems can survive brief surge voltages of up to 1,500 V.

Lightning impacts or switching operations can, however, quickly exceed this voltage value by a multiple of times. OBO surge protection devices limit the voltage to considerably below 1,500 V.

What do I need surge protection for?



A local lightning strike creates additional high magnetic fields, which in turn induce high voltage peaks in cable systems. Damage can be caused within a radius of up to 2 km around the lightning impact point.

OBO surge protection devices secure electrical and electronic devices against excessively high electrical voltages and limit the voltage at the installation location to a harmless 1,500 V.

OBO



Surge protection required

In modern electrical installations, the demand for ease of use and the exchange of information between electronic components is increasing. The increasing number of devices also increases the risk of surge voltage damage on all devices, operated via the power, telephone or data network.

OBO lightning and surge protection systems: Our comprehensive product range can offer you all-round protection.

Effective protection is essential

For standard-conforming electrical installations the installation of surge protection devices is mandatory. The new DIN VDE 0100-443 specifies in which cases protective equipment must be installed. The supplementary installation standard DIN VDE 0100-534 specifies which surge protection device must be selected and how it has to be installed.



How can you protect your home?

- 1. Basic protection
- 2. System protection
- 3. Device protection

Damage caused by surges can be prevented. Your specialist electrical company will be happy to advise you!

TBS Broschüre

OBO

8

- Surge protection devices at the building entry intercept surge voltages before the electronic installation.
- The surge voltage devices must be installed as close to the source of interference as possible as protection against switching surge voltages.

· Any existing hazardous surge voltages must

Sensitive systems include, amongst other things, heating systems, telecommunication, building control systems, alarm systems and

and in the sub-distributors.

photovoltaic systems.

be intercepted on any other sensitive systems

Basic protection

 In electrical distributors/supply systems, dangerous surge voltages are intercepted from outside by surge protection devices.

System protection

• OBO surge protection devices limit the voltage to a harmless 1,500 V at the installation location.

- 3
 - Supply cables from outside can couple in dangerous surge voltages.
 - All cables being run in from outside should be protected with surge protection devices.

Device protection

 Other sensitive devices, such as TVs, computers or kitchen appliances are protected through surge protection devices via the socket.

OBC

Protect your home

Have you thought of everything? We have put together the overview on this page to give you an example of everything that has to be protected to prevent damage from surge voltages. Your electrician knows which devices are required to protect your property.

Power supply

- 1 Supply
- 2 Photovoltaics

Building / control technologies

- 3 KNX building controller
- 4 Gate control
- 5 Heating
- 6 Roller shutter controller

TV reception

7 Satellite system

10

- 8 TV
- 9 Receiver / streaming player

Telephone / communication technology

- 9 Telephone system
- 10 Telephones / routers / Wi-Fi
- 11 Intercom system

Terminal devices

- 12 Personal computer system
- 13 Kitchen appliances, e.g. Thermomix
- 14 Household appliances
 - (washing machine, dryer, refrigerator)





11 <u>OBO</u>

OBO Bettermann GmbH & Co. KG PO Box 1120 58694 Menden, Germany

Customer Service Germany Tel.: +49 (0)2371 7899-2000 Fax: +49 (0)2371 7899-2500 E-mail: info@obo.de

www.obo-bettermann.com

Building Connections



Correct surge protection advice: